





APPROX. WEIGHT
(LBS)
19




TOP VIEW




BOTTOM VIEW




FRONT VIEW



SIDE VIEW



DETAIL E
CUSTOMER CONNECTION
DETAIL VIEW




DETAIL C
(2 PLACES)

SEE NOTE 3

SEE NOTE 2

NOTES:

1. FILTER REQUIRES CAP-352TP (QTY. 1), CONTACTOR-068 (QTY. 1), CONTACT-035 (QTY. 1), TRANSIENT-001 (QTY. 1)
2. TERMINAL SCREW TIGHTENING TORQUE: 16 IN/LBS
3. WIRE RANGE: 4-14 AWG.

THE COMPONENT, PART OR ASSEMBLY DESCRIBED IN THIS DOCUMENT MUST COMPLY WITH THE EU(EUROPEAN UNION) DIRECTIVE RoHS2		MATERIAL		CONFIDENTIAL AND PROPRIETARY INFORMATION THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION OF MTE CORPORATION AND MAY NOT BE USED, COPIED OR DISCLOSED TO OTHERS EXCEPT WITH THE AUTHORIZED WRITTEN PERMISSION OF MTE CORPORATION			
CONTAINS <0.1% OF ANY SVHC BY WEIGHT PER REACH REGULATION				DESCRIPTION			
<div>UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES [MM] TOLERANCES ARE:</div> <div>ANGLES: ± 1 °</div> <div>1 PLACE .X: ± .1 [2.5]</div> <div>2 PLACE .XX: ± .03 [0.76]</div> <div>3 PLACE .XXX: ± .010 [0.254]</div> <div><div>N83 W13330 Leon Road Menomonee Falls, WI 53051 USA 800.455.4683 262.253.8200</div></div>		DRAWN		DATE		MATRIX AP 6A 240V 60Hz OPEN PANEL CONTACTOR 002 OPTION	
		KV		09/04/18			
		CHECKED		DATE			
		KV		09/04/18			
		APPROVED		DATE		SIZE	
		AK		10/03/18		D	
						DWG No.	
						CD MAPP0006A002	
						REV	
						00	
						SCALE	
						2:3	
						SHEET 1 OF 1	